




Q U A N T U M Q U A T R O
T h e s u s t a i n a b l e c h o i c e .

QUANTUM QUATRO 2024 CATALOGUE SOLAR PRODUCT





QUANTUMQUATRO
The sustainable choice.



09192606606

Solar Street Lights



Rated Power: 150W Panel: 6V 55W

Battery: 3.2V 65AH

LED: Philips 3030 510pcs Chip

Lumen: 14,000-16,000lm 6,500K

Lighting Time: 10-12 Hours

Working Model: Light Control + PIR Control

Product dimension: 220*410mm

Warranty: 3 years



Rated Power: 200W Panel: 6V 55W

Battery: 3.2V 65AH

LED: Philips 3030 510pcs Chip

Lumen: 14,000-16,000lm 6,500K

Lighting Time: 10-12 Hours

Working Model: Light Control + PIR Control

Product dimension: 240*510mm

Warranty: 3 years



Rated Power: 250W Panel: 6V 55W

Battery: 3.2V 65AH

LED: Philips 3030 510pcs Chip

Lumen: 14,000-16,000lm 6,500K

Lighting Time: 10-12 Hours

Working Model: Light Control + PIR Control

Product dimension: 250*640mm

Warranty: 3 years

www.quantumquatro.com

info@quantumquatro.com



09192606606

Solar Street Lights

Rated Power: 150W Panel: 6V 15W



Battery: 3.2V 15Ah
LED: 480pcs 5730 beads
Lumen: 3000LM
Lighting time: 8Hours
Working Model: Light Control + radar remote
Product dimension: 350*80*450mm
Warranty: 3 years

Rated Power: 250W Panel: 6V 25W



Battery: 3.2V 30AH
LED: 640pcs 5730 beads
Lumen: 3000LM
Lighting time: 8Hours
Working Model: Light Control + radar remote
Product dimension: 350*80*600mm
Warranty: 3 years

Rated Power: 300W Panel: 6V 25W



Battery: 3.2V 30AH
LED: 640pcs 5730 beads
Lumen: 3000LM
Lighting time: 8Hours
Working Model: Light Control + radar remote
Product dimension: 350*80*680mm
Warranty: 3 years

www.quantumquatro.com

info@quantumquatro.com



09192606606

Solar Street Lights

Rated Power: 150W



Panel: 6V 25W
LED: 288pcs 5730 beads
Working: 8 hours
Battery: 3.2V 24Ah
Product Dimension: 495*210*40mm

Warranty: 3 years

Rated Power: 250W



Panel: 6V 28W
LED: 432pcs 5730 beads
Working: 8 hours
Battery: 3.2V 40Ah
Product Dimension: 47*19*9CM

Warranty: 3 years

Rated Power: 300W



Panel: 6V 50W
LED: 671pcs 5730 beads
Working: 8 hours
Battery: 48Ah 3.2V
Product Dimension: 57.5*23.5*9cm

Warranty: 3 years

www.quantumquatro.com


info@quantumquatro.com



09192606606

Solar Street Lights

Rated Power: 150W



LED: 208 pcs

Working: 10-15 hours

Battery: 20AH

Distancing Bright: 30m-40m

Product dimension: 510*210*55mm

Warranty: 3 years

Rated Power: 200W



LED: 256 pcs

Working: 10-15 hours

Battery: 30AH

Distancing Bright: 40m-50m

Product Dimension: 510*210*55mm

Warranty: 3 years

Rated Power: 250W



LED: 420 pcs

Working: 10-15 hours

Battery: 30AH

Distancing Bright: 40m-50m


Product Dimension: 510*210*55

Warranty: 3 years



www.quantumquatro.com

info@quantumquatro.com



QUANTUMQUATRO
The sustainable choice.



09192606606

Solar Street Lights



Rated Power: 600W

Panel: 6V 18W

Battery: 3.2V 15AH

LED: SMD 5730

Lumen: 6500-7000K

Lighting time: 18-20Hours

Working Model: Intelligent remote control
light control dimension: 450*345*70mm

Warranty: 3 years



Rated Power: 1,200W

Panel 6V 30M

Battery: 3.2V 25AH


LED: SMD 5730

Lumen: 6500-7000K

Lighting time: 18-20Hours

Working Model: intelligent remote control
light control dimension: 680*345*75mm

Warranty: 3 years



Pole: 6-10m (Tapered)

Pole Type (Round Pole) thickness: 3mm

Top Diameter: 65mm

Bottom Diameter: 165mm

Base Plate: 280mm X 280mm 16mm

Single pole arm 4pcs Anchor bolt, Nut & Washer

Single Arm Ø 60, H=2.0M, Reaching Out=1.5M, Th=2.0mm

Pole: 9.5m

Pole Type (Round Pole) thickness: 3.5mm

Top Diameter: 75mm

Bottom Diameter: 175mm


Base Plate: 350mm X 350mm 16mm 2.Arm:

Twin Arm Ø 60, H=1.5M, Reaching Out=1.0M, Th=2.0mm



www.quantumquatro.com

info@quantumquatro.com



QUANTUMQUATRO
The sustainable choice.



09192606606

Flexible Solar Panel



Flexible Solar Panel L series: 100W

Panel size: 1070*530*4mm, (mono)

Accessories: 1m cable+MC4 connector

Vmp(v): 18v, Ipm(A):5.55, Voc(v): 21.6V,

Isc(A): 6 Efficiency: 22.5%

Construction: single sided ETFE, EVA+mono solar cell, special material +TPT

Power temperature coefficient: -0.24%/C

Voltage temperature coefficient: -0.25%/C

Current temperature coefficient: -0.06%/C

NOCT: 45-+2C

Max system voltage: 300V DC

Certification: CE, ROHS, ISO9001:2015



Flexible Solar Panel L series: 160W

Panel size: 1250*700*4mm, (mono)

Accessories: 1m cable+MC4 connector

Vmp(v): 21v, Ipm(A):7.61, Voc(v): 25.2V, Isc(A): 8.22

Efficiency: 22.5%

Construction: single sided ETFE, EVA+mono solar cell, special material +TPT

Power temperature coefficient: -0.24%C

Voltage temperature coefficient: -0.25%C

Current temperature coefficient: -0.06%C

NOCT: 45-+2C

Max system voltage: 300V DC

Certification: CE, ROHS, ISO9001:2015



Flexible Solar Panel L series: 240W

Panel size: 1390*870*4mm, (mono)

Accessories: 1m cable+MC4 connector

Vmp(v): 20v, Ipm(A):12, Voc(v): 24V, Isc(A): 12.96

Efficiency: 22.5%

Construction: single sided ETFE, EVA+mono solar cell, special material +TPT

Power temperature coefficient: -0.24%/C

Voltage temperature coefficient: -0.25%/C

Current temperature coefficient: -0.06%/C

NOCT: 45-+2C


Max system voltage: 300V DC

Certification: CE, ROHS, ISO9001:2015



www.quantumquatro.com

info@quantumquatro.com



QUANTUMQUATRO
The sustainable choice.



09192606606

Flexible Solar Panel



Flexible Solar Panel L series: 300W

Panel size: 1730*870*4mm, (mono)

Accessories: 1m cable+MC4 connector

Vmp(v): 25v, Ipm(A):12, Voc(v): 30V, Isc(A): 12.96 'A

Efficiency: 22.5%

Construction: single sided ETFE, EVA+mono solar cell, special material +TPT

Power temperature coefficient: -0.24%/C

Voltage temperature coefficient: -0.25%/C

Current temperature coefficient: -0.06%/C

NOCT: 45-+2C

Max system voltage: 300V DC

Certification: CE, ROHS, ISO9001:2015



Flexible Solar Panel L series: 360W

Panel size: 1730*1035*4mm, (mono)

Accessories: 1m cable+MC4 connector

Vmp(v): 30v, Ipm(A):12, Voc(v): 36

Efficiency: 22.5%

Construction: single sided ETFE, EVA+mono solar cell, special material +TPT

Power temperature coefficient: -0.24%C

Voltage temperature coefficient: -0.25%C

Current temperature coefficient: -0.06%C

NOCT: 45-+2C

Max system voltage: 300V DC

Certification: CE, ROHS, ISO9001:2015



Flexible Solar Panel L series: 400W

Panel size: 1900*1035*4mm, (mono)

Accessories: 1m cable+MC4 connect

Vmp(v): 33v, Ipm(A):12.12, Voc(v): 3

Efficiency: 22.5%

Construction: single sided ETFE, EVA+mono solar cell, special material +TPT

Power temperature coefficient: -0.24%C

Voltage temperature coefficient: -0.25%C

Current temperature coefficient: -0.06

NOCT: 45-+2C


Max system voltage: 300V DC

Certification: CE, ROHS, ISO9001:20



www.quantumquatro.com

info@quantumquatro.com



QUANTUMQUATRO
The sustainable choice.



09192606606

Semi-Rigid Solar Panel



SEMI RIGID SOLAR PANEL: 100W

Max working voltage (Vmp): 18V

Panel size: 1040*530*2.8mm

(SunPower)

Cells Efficiency: 21%

Warranty: 3 Years



SEMI RIGID SOLAR PANEL: 100W

Max Working Voltage (Vmp): 18V

Product Dimension:

1070*530*4.3mm (mono)

Cells Efficiency: 21%

Warranty: 3 years



SEMI RIGID SOLAR PANEL: 110W

Max Working Voltage (Vmp): 18V

Product Dimension: 1070*540*2.8mm

(SunPower)

Cells Efficiency: 21%

Warranty: 3 years



SEMI RIGID SOLAR PANEL: 110W

Max Working Voltage (Vmp): 18V

Product Dimension: 1240*530*4.3mm


(mono)

Cells Efficiency: 21%

Warranty: 3 years

www.quantumquatro.com

info@quantumquatro.com



QUANTUMQUATRO
The sustainable choice.



09192606606

Semi-Rigid Solar Panel



SEMI RIGID SOLAR PANEL: 150W

Max Working Voltage (Vmp): 18V
Product Dimension: 1330*540*2.8mm
(SunPower)
Cells Efficiency: 21%
Warranty: 3 years



SEMI RIGID SOLAR PANEL: 150W

Max Working Voltage (Vmp): 18V
Product Dimension: 1080*700*4.3mm
(mono)
Cells Efficiency: 21%
Warranty: 3 years



SEMI RIGID SOLAR PANEL: 200W

Max Working Voltage (Vmp): 18V
Product Dimension: 1190*850*2.8mm
(SunPower)
Cells Efficiency: 21%
Warranty: 3 years




SEMI RIGID SOLAR PANEL: 200W

Max Working Voltage (Vmp): 18V
Product Dimension: 1560*700*4.3mm
(mono)
Cells Efficiency: 21%
Warranty: 3 years

www.quantumquatro.com

info@quantumquatro.com



QUANTUMQUATRO
The sustainable choice.



09192606606

Rigid Solar Panel



Rigid Solar Panel: 330W

Panel size: 1956*992*30

Polycrystalline



Rigid Solar Panel: 450W

Panel size: 1909*1134*30

Polycrystalline



Rigid Solar Panel: 550W


Panel size: 1650*992*30

Polycrystalline



www.quantumquatro.com

info@quantumquatro.com



QUANTUMQUATRO
The sustainable choice.



09192606606

Flexible Solar Kit



Flexible solar panel kit: 300W (mono)

Max Power Pm (Wp): 100W X 3PCS

Max Working Voltage (Vmp): 18V

Product Dimension: 1070*530*4.3mm

Cells Efficiency: 21%

Accessories: 12/24V/36V48V, PWM controller

Cable wire: 3m

Warranty: 3 years



Flexible solar panel kit: 450W (mono)

Max Power Pm (Wp): 150W X3PCS

Max Working Voltage (Vmp): 18V

Product Dimension: 1080*700*4.3mm

Cells Efficiency: 21%

Accessories: 12/24V/36V48V, PWM controller

Cable wire: 3m

Warranty: 3 years



Flexible solar panel kit: 550W (mono)

Max Power Pm (Wp): 110W X 5PCS

Max Working Voltage (Vmp): 18V

Product Dimension: 1240*530*4.3mm

Cells Efficiency: 21%


Accessories: 12/24V/36V48V, PWM controller

Cable wire: 3m

Warranty: 3 years

www.quantumquatro.com

info@quantumquatro.com



QUANTUMQUATRO
The sustainable choice.



09192606606

Flexible Solar Kit



Flexible solar panel kit: 650W (mono)

Max Power Pm (Wp): 110W X 6PCS
Max Working Voltage (Vmp): 18V
Product Dimension: 1240*530*4.3mm
Cells Efficiency: 21%
Accessories: 12/24V/36V48V, PWM controller
Cable wire: 3m
Warranty: 3 years



Flexible solar panel kit: 1000W (1KW) (mono)

Max Power Pm (Wp): 200W X 5PCS
Max Working Voltage (Vmp): 18V
Product Dimension: 1560*700*4.3mm
Cells Efficiency: 21%
Accessories: 12/24V/36V48V, PWM controller
Cable wire: 3m
Warranty: 3 years




Flexible solar panel kit: 1500W (1.5KW) (mono)

Max Power Pm (Wp): 150W X 10PCS
Max Working Voltage (Vmp): 18V
Product Dimension: 1080*700*4.3mm
Cells Efficiency: 21%
Accessories: 12/24V/36V48V, PWM controller
Cable wire: 3m
Warranty: 3 years

www.quantumquatro.com

info@quantumquatro.com



QUANTUMQUATRO
The sustainable choice.



09192606606

Flexible Solar Kit



Flexible solar panel kit: 2000W (2KW) (mono)

Max Power Pm (Wp): 200W X 10PCS

Max Working Voltage (Vmp): 18V

Product Dimension: 1080*700*4.3mm

Cells Efficiency: 21%

Accessories: 12/24V/36V48V, PWM controller

Cable wire: 3m

Warranty: 3 years



Flexible solar panel kit: 3000W (3KW) (mono)

Max Power Pm (Wp): 150W X 20PCS

Max Working Voltage (Vmp): 18V

Product Dimension: 1080*700*4.3mm

Cells Efficiency: 21%

Accessories: 12/24V/36V48V, PWM controller

Cable wire: 3m

Warranty: 3 years



www.quantumquatro.com

info@quantumquatro.com



09192606606

Semi-Rigid Solar Kit



Semi-rigid solar panel kit: 300W (SunPower)

Max Power Pm (Wp): 100W *3PCS
Max Working Voltage (Vmp): 18V
Product Dimension: 1040*530*2.8mm
Cells Efficiency: 21%
Accessories: 12/24V
PWM controller
Cable wire: 3m
Warranty: 3 years



Semi-rigid solar panel kit: 300W (mono)

Max Power Pm (Wp): 100W *3PCS
Max Working Voltage (Vmp): 18V
Product Dimension: 1070*530*4.3mm
Cells Efficiency: 21%
Accessories: 12/24V
PWM controller
Cable wire: 3m
Warranty: 3 years



Semi-rigid solar panel kit: 450W (SunPower)

Max Power Pm (Wp): 150W *3PCS
Max Working Voltage (Vmp): 18V
Product Dimension: 1330*5
Cells Efficiency: 21%
Accessories: 12/24V
PWM controller
Cable wire: 3m
Warranty: 3 years



www.quantumquatro.com

info@quantumquatro.com



09192606606

Semi-Rigid Solar Kit



Semi-rigid solar panel kit: 450W (mono)

Max Power Pm (Wp): 150WX 3PCS
Max Working Voltage (Vmp): 18V
Product Dimension: 1080*700*4.3mm
Cells Efficiency: 21%
Accessories: 12/24V, PWM controller
Cable wire: 3m
Warranty: 3 years



Semi-rigid solar panel kit: 550W (SunPower)

Max Power Pm (Wp): 110WX 5PCS
Max Working Voltage (Vmp): 18V
Product Dimension: 1070*540*2.8mm
Cells Efficiency: 21%
Accessories: 12/24V, PWM controller
Cable wire: 3m
Warranty: 3 years



Semi-rigid solar panel kit: 550W (mono)

Max Power Pm (Wp): 110WX 3PCS
Max Working Voltage (Vmp): 18V
Product Dimension: 1240*530*4.3mm
Cells Efficiency: 21%
Accessories: 12/24V, PWM controller
Cable wire: 3m
Warranty: 3 years



www.quantumquatro.com

info@quantumquatro.com



09192606606

Semi-Rigid Solar Kit



Semi-rigid solar panel kit: 650W (SunPower)

Max Power Pm (Wp): 110WX 6PCS
Max Working Voltage (Vmp): 18V
Product Dimension: 1070*540*2.8mm
Cells Efficiency: 21%
Accessories: 12/24V, PWM controller
Cable wire: 3m
Warranty: 3 years



Semi-rigid solar panel kit: 650W (mono)

Max Power Pm (Wp): 110WX 6PCS
Max Working Voltage (Vmp): 18V
Product Dimension: 1240*530*4.3mm
Cells Efficiency: 21%
Accessories: 12/24V, PWM controller
Cable wire: 3m
Warranty: 3 years



Semi-rigid solar panel kit: 1000W (1KW) (SunPower)

Max Power Pm (Wp): 200WX 5PCS
Max Working Voltage (Vmp): 18V
Product Dimension: 1190*850*2.8mm
Cells Efficiency: 21%
Accessories: 12/24V/36V48V, PWM controller
Cable wire: 3m
Warranty: 3 years

www.quantumquatro.com

info@quantumquatro.com



09192606606

Semi-Rigid Solar Kit



Semi-rigid solar panel kit: 1000W (1KW) (mono)

Max Power Pm (Wp): 200WX 5PCS

Max Working Voltage (Vmp): 18V

Product Dimension: 1560*700*4.3mm

Cells Efficiency: 21%

Accessories: 12/24V/36V48V, PWM controller

Cable wire: 3m

Warranty: 3 years



Semi-rigid solar panel kit: 1500W (1.5KW) (SunPower)

Max Power Pm (Wp): 150WX 10PCS

Max Working Voltage (Vmp): 18V

Product Dimension: 1330*540*2.8mm

Cells Efficiency: 21%

Accessories: 12/24V/36V48V, PWM controller

Cable wire: 3m

Warranty: 3 years



Semi-rigid solar panel kit: 1500W (1.5KW) (mono)

Max Power Pm (Wp): 150W X 10PCS

Max Working Voltage (Vmp): 18V

Product Dimension: 1080*700*4.3mm

Cells Efficiency: 21%

Accessories: 12/24V/36V48V, PWM controller

Cable wire: 3m

Warranty: 3 years

www.quantumquatro.com

info@quantumquatro.com



09192606606

Semi-Rigid Solar Kit



Semi-rigid solar panel kit: 2000W (2KW) (SunPower)

Max Power Pm (Wp): 200WX 10PCS

Max Working Voltage (Vmp): 18V

Product Dimension: 1190*850*2.8mm

Cells Efficiency: 21%

Accessories: 12/24V/36V48V, PWM controller

Cable wire: 3m

Warranty: 3 years



Semi-rigid solar panel kit: 2000W (2KW) (mono)

Max Power Pm (Wp): 150W X 20PCS

Max Working Voltage (Vmp): 18V

Product Dimension: 1080*700*4.3mm

Cells Efficiency: 21%

Accessories: 12/24V/36V48V, PWM controller

Cable wire: 3m

Warranty: 3 years



Semi-rigid solar panel kit: 3000W (3KW) (SunPower)

Max Power Pm (Wp): 150W X 20PCS

Max Working Voltage (Vmp): 18V

Product Dimension: 1330*540*2.8mm

Cells Efficiency: 21%


Accessories: 12/24V/36V48V, PWM controller

Cable wire: 3m

Warranty: 3 years

www.quantumquatro.com

info@quantumquatro.com



QUANTUMQUATRO
The sustainable choice.



09192606606

Semi-Rigid Solar Kit



Semi-rigid solar panel kit: 3000W (3KW) (mono)

Max Power Pm (Wp): 150W X 20PCS

Max Working Voltage (Vmp): 18V

Product Dimension: 1080*700*4.3mm

Cells Efficiency: 21%

Accessories: 12/24V/36V48V, PWM controller

Cable wire: 3m

Warranty: 3 years



www.quantumquatro.com

info@quantumquatro.com



09192606606

Flexible Solar Panel Kit with Battery and Inverter



Flexible solar panel kit: 300W (mono)

Max Power Pm (Wp): 100W X 3PCS

Max Working Voltage (Vmp): 18V

Product Dimension: 1070*530*4.3mm

Cells Efficiency: 21%

Accessories: 12/24V/36V48V

PWM controller Cable wire: 3m

Inverter Input voltage : 12V

Output voltage: 220V rated power 1000W

Lithium Battery Power: 1200w

Standard Voltage: 12V capacity 100AH

Warranty: 3 years



Flexible solar panel kit: 450W (mono)

Max Power Pm (Wp): 150W X 3PCS

Max Working Voltage (Vmp): 18V

Product Dimension: 1080*700*4.3mm

Cells Efficiency: 21%

Accessories: 12/24V/36V48V

PWM controller Cable wire: 3m

Inverter Input voltage : 12V

Output voltage: 220V rated power 1000W

Lithium Battery Power: 1200w

Standard Voltage: 12V capacity 100AH

Warranty: 3 years

www.quantumquatro.com

info@quantumquatro.com



09192606606

Flexible Solar Panel Kit with Battery and Inverter



Flexible solar panel kit: 550W (mono)

Max Power P_m (Wp): 110W X 5PCS

Max Working Voltage (V_{mp}): 18V

Product Dimension: 1240*530*4.3mm

Cells Efficiency: 21%

Accessories: 12/24V/36V48V

PWM controller Cable wire: 3m

Inverter Input voltage : 12V

Output voltage: 220V rated power 2000W

Lithium Battery Power: 1800w

Standard Voltage: 12V capacity 150AH

Warranty: 3 years



Flexible solar panel kit: 650W (mono)

Max Power P_m (Wp): 110W X 6PCS

Max Working Voltage (V_{mp}): 18V

Product Dimension: 1240*530*4.3mm

Cells Efficiency: 21%

Accessories: 12/24V/36V48V

PWM controller Cable wire: 3m

Inverter Input voltage : 12V

Output voltage: 220V rated power 2000W

Lithium Battery Power: 1800w

Standard Voltage: 12V capacity: 150AH

Warranty: 3 years

www.quantumquatro.com

info@quantumquatro.com



09192606606

Flexible Solar Panel Kit with Battery and Inverter



Flexible solar panel kit: 1000W (1KW) (mono)

Max Power Pm (Wp): 200W X 5PCS

Max Working Voltage (Vmp): 18V

Product Dimension: 1560*700*4.3mm

Cells Efficiency: 21%

Accessories: 12/24V/36V48V

PWM controller Cable wire: 3m

Inverter Input voltage : 12V

Output voltage: 220V rated power 3000W

Lithium Battery Power: 2400w

Standard Voltage: 12V capacity: 200AH

Warranty: 3 years



Flexible solar panel kit: 1500W (1.5KW) (mono)

Max Power Pm (Wp): 150W X 10PCS

Max Working Voltage (Vmp): 18V

Product Dimension: 1080*700*4.3mm

Cells Efficiency: 21%

Accessories: 12/24V/36V48V

PWM controller Cable wire: 3m

Inverter Input voltage : 12V

Output voltage: 220V rated power 3000W

Lithium Battery Power: 2400w

Standard Voltage: 12V capacity 200AH

Warranty: 3 years

www.quantumquatro.com

info@quantumquatro.com



09192606606

Flexible Solar Panel Kit with Battery and Inverter



Flexible solar panel kit: 2000W (2KW) (mono)

Max Power Pm (Wp): 150W X 20PCS

Max Working Voltage (Vmp): 18V

Product Dimension: 1080*700*4.3mm

Cells Efficiency: 21%

Accessories: 12/24V/36V48V

PWM controller Cable wire: 3m

Inverter Input voltage : 12V

Output voltage: 220V rated power 3000W

Lithium Battery Power: 3000w

Standard Voltage: 12V capacity: 250AH

Warranty: 3 years



Flexible solar panel kit: 3000W (3KW) (mono)

Max Power Pm (Wp): 150W X 20PCS

Max Working Voltage (Vmp): 18V

Product Dimension: 1080*700*4.3mm

Cells Efficiency: 21%

Accessories: 12/24V/36V48V

PWM controller Cable wire: 3m

Inverter Input voltage : 12V

Output voltage: 220V rated power 3000W

Lithium Battery Power: 3000w

Standard Voltage: 12V capacity: 250AH

Warranty: 3 years

www.quantumquatro.com

info@quantumquatro.com



09192606606

Semi-Rigid Solar Panel Kit with Battery and Inverter



Semi - rigid solar panel kit: 300W (SunPower)

Max Power P_m (Wp): 100W *3PCS

Max Working Voltage (V_{mp}): 18V

Product Dimension: 1040*530*2.8mm

Cells Efficiency: 21%

Accessories: 12/24V

PWM controller Cable wire: 3m

Inverter Input voltage : 12V

Output voltage: 220V rated power 1000W

Lithium Battery: Power: 1200w

Standard Voltage: 12V capacity: 100AH

Warranty: 3 years



Semi - rigid solar panel kit: 300W (mono)

Max Power P_m (Wp): 100W *3PCS

Max Working Voltage (V_{mp}): 18V

Product Dimension: 1070*530*4.3mm

Cells Efficiency: 21% Accessories: 12/24V

PWM controller Cable wire: 3m

Inverter Input voltage : 12V

Output voltage: 220V rated power 1000W

Lithium Battery Power: 1200w

Standard Voltage: 12V capacity: 100AH

Warranty: 3 years



www.quantumquatro.com

info@quantumquatro.com



09192606606

Semi-Rigid Solar Panel Kit with Battery and Inverter



Semi- rigid solar panel kit: 450W (SunPower)

Max Power Pm (Wp): 150WX 3PCS

Max Working Voltage (Vmp): 18V

Product Dimension: 1330*540*2.8mm

Cells Efficiency: 21%

Accessories: 12/24V,

PWM controller Cable wire: 3m

Inverter Input voltage : 12V

Output voltage: 220V rated power 1000W

Lithium Battery Power: 1200w

Standard Voltage: 12V capacity: 100AH

Warranty: 3 years



Semi-rigid solar panel kit: 450W (mono)

Max Power Pm (Wp): 150WX 3PCS

Max Working Voltage (Vmp): 18V

Product Dimension: 1080*700*4.3mm

Cells Efficiency: 21%

Accessories: 12/24V

PWM controller Cable wire: 3m

Inverter Input voltage : 12V

Output voltage: 220V rated power 1000W

Lithium Battery Power: 1200w

Standard Voltage: 12V capacity: 100AH

Warranty: 3 years

www.quantumquatro.com

info@quantumquatro.com



09192606606

Semi-Rigid Solar Panel Kit with Battery and Inverter



Semi-rigid solar panel kit: 550W (SunPower)

Max Power Pm (Wp): 110WX 5PCS

Max Working Voltage (Vmp): 18V

Product Dimension: 1070*540*2.8mm

Cells Efficiency: 21%

Accessories: 12/24V

PWM controller Cable wire: 3m

Inverter Input voltage : 12V

Output voltage: 220V rated power 2000W

Lithium Battery Power: 1800w

Standard Voltage: 12V capacity: 150AH

Warranty: 3 years



Semi-rigid solar panel kit: 550W (mono)

Max Power Pm (Wp): 110WX 5PCS

Max Working Voltage (Vmp): 18V

Product Dimension: 1240*530*4.3mm

Cells Efficiency: 21%

Accessories: 12/24V

PWM controller Cable wire: 3m

Inverter Input voltage : 12V

Output voltage: 220V rated power 2000W

Lithium Battery Power: 1800w

Standard Voltage: 12V capacity: 150AH

Warranty: 3 years

www.quantumquatro.com

info@quantumquatro.com



09192606606

Semi-Rigid Solar Panel Kit with Battery and Inverter



Semi-rigid solar panel kit: 650W (SunPower)

Max Power Pm (Wp): 110WX 6PCS

Max Working Voltage (Vmp): 18V

Product Dimension: 1070*540*2.8mm

Cells Efficiency: 21%

Accessories: 12/24V

PWM controller Cable wire: 3m

Inverter Input voltage : 12V

Output voltage: 220V rated power 2000W

Lithium Battery Power: 1800w

Standard Voltage: 12V capacity: 150AH

Warranty: 3 years



Semi-rigid solar panel kit: 650W (mono)

Max Power Pm (Wp): 110WX 6PCS

Max Working Voltage (Vmp): 18V

Product Dimension: 1240*530*4.3mm

Cells Efficiency: 21%

Accessories: 12/24V

PWM controller Cable wire: 3m

Inverter Input voltage : 12V

Output voltage: 220V rated power 2000W


Lithium Battery Power: 1800w

Standard Voltage: 12V capacity: 150AH

Warranty: 3 years

www.quantumquatro.com

info@quantumquatro.com



QUANTUMQUATRO
The sustainable choice.



09192606606

Semi-Rigid Solar Panel Kit with Battery and Inverter



Semi-rigid solar panel kit: 1000W (1KW) (SunPower)

Max Power Pm (Wp): 200WX 5PCS

Max Working Voltage (Vmp): 18V

Product Dimension: 1190*850*2.8mm

Cells Efficiency: 21%

Accessories: 12/24V/36V48V

PWM controller Cable wire: 3m

Inverter Input voltage : 12V

Output voltage: 220V

rated power3000W

Lithium Battery Power: 2400w

Standard Voltage: 12V capacity 200AH

Warranty: 3 years



Semi- rigid solar panel kit: 1000W (1KW) (mono)

Max Power Pm (Wp): 200WX 5PCS

Max Working Voltage (Vmp): 18V

Product Dimension: 1560*700*4.3mm

Cells Efficiency: 21%

Accessories: 12/24V/36V48V

PWM controller Cable wire: 3m

Inverter Input voltage : 12V

Output voltage: 220V rated power 3000W

Lithium Battery Power: 2400w

Standard Voltage: 12V capacity 200AH

Warranty: 3 years

www.quantumquatro.com

info@quantumquatro.com



09192606606

Semi-Rigid Solar Panel Kit with Battery and Inverter



Semi-rigid solar panel kit: 1500W (1.5KW) (SunPower)

Max Power Pm (Wp): 150WX 10PCS

Max Working Voltage (Vmp): 18V

Product Dimension: 1330*540*2.8mm

Cells Efficiency: 21%

Accessories: 12/24V/36V48V

PWM controller Cable wire: 3m

Inverter Input voltage : 12V

Output voltage: 220V rated power 3000W

Lithium Battery Power: 2400w

Standard Voltage: 12V capacity 200AH

Warranty: 3 years



Semi-rigid solar panel kit: 1500W (1.5KW) (mono)

Max Power Pm (Wp): 150W X 10PCS

Max Working Voltage (Vmp): 18V

Product Dimension: 1080*700*4.3mm

Cells Efficiency: 21%

Accessories: 12/24V/36V48V

PWM controller Cable wire: 3m

Inverter Input voltage : 12V

Output voltage: 220V rated power 3000W

Lithium Battery Power: 2400w

Standard Voltage: 12V capacity 200AH

Warranty: 3 years

www.quantumquatro.com

info@quantumquatro.com



09192606606

Semi-Rigid Solar Panel Kit with Battery and Inverter



Semi-rigid solar panel kit: 2000W (2KW) (SunPower)

Max Power Pm (Wp): 200WX 10PCS

Max Working Voltage (Vmp): 18V

Product Dimension: 1190*850*2.8mm

Cells Efficiency: 21%

Accessories: 12/24V/36V48V

PWM controller Cable wire: 3m

Inverter Input voltage : 12V

Output voltage: 220V rated power 3000W

Lithium Battery Power: 3000w

Standard Voltage: 12V capacity 250AH

Warranty: 3 years



Semi-rigid solar panel kit: 2000W (2KW) (mono)

Max Working Voltage (Vmp): 18V

Product Dimension: 1080*700*4.3mm

Cells Efficiency: 21%

Accessories: 12/24V/36V48V

PWM controller Cable wire: 3m

Inverter Input voltage : 12V

Output voltage: 220V rated power 3000W


Lithium Battery Power: 3000w '

Standard Voltage: 12V capacity 250AH

Warranty: 3 years

www.quantumquatro.com

info@quantumquatro.com



QUANTUMQUATRO
The sustainable choice.



09192606606

Semi-Rigid Solar Panel Kit with Battery and Inverter



Semi-rigid solar panel kit: 3000W (3KW) (SunPower)

Max Power Pm (Wp): 150W X 20PCS

Max Working Voltage (Vmp): 18V

Product Dimension: 1330*540*2.8mm

Cells Efficiency: 21%

Accessories: 12/24V/36V48V

PWM controller Cable wire: 3m

Inverter Input voltage : 12V

Output voltage: 220V rated power 3000W

Lithium Battery Power: 3000w

Standard Voltage: 12V capacity 250AH

Warranty: 3 years



Semi-rigid solar panel kit: 3000W (3KW) (mono)

Max Power Pm (Wp): 150W X 20PCS

Max Working Voltage (Vmp): 18V

Product Dimension: 1080*700*4.3mm

Cells Efficiency: 21%

Accessories: 12/24V/36V48V

PWM controller Cable wire: 3m

Inverter Input voltage : 12V

Output voltage: 220V rated power 3000W

Lithium Battery Power: 3000w

Standard Voltage: 12V capacity 250AH

Warranty: 3 years

www.quantumquatro.com

info@quantumquatro.com



09192606606

Inverter



INVERTER: 4000W
Input Voltage: 96V
Output Voltage: 220V
Rated Power: 4000W



INVERTER: 5000W
Input Voltage: 48V
Output Voltage: 220V
Rated Power: 5000W



INVERTER: 8000W
Input Voltage: 48V
Output Voltage: 220V
Rated Power: 8000W



IINVERTER: 8000W
Input Voltage: 96V
Output Voltage: 220V
Rated Power: 8000W



IINVERTER: 8000W
Input Voltage: 180V
Output Voltage: 220V
Rated Power: 8000W





09192606606

Battery



Lithium battery:
12V 100AH
Power: 1200W
Standard Voltage: 12V
Capacity: 100AH



Lithium battery:
12V 150AH
Power: 1800W
Standard Voltage: 12V
Capacity: 150AH



Lithium battery:
12V 200AH
Power: 2400W
Standard Voltage: 12V
Capacity: 200AH



Lithium battery:
12V 250AH
Power: 3000W
Standard Voltage: 12V
Capacity: 250AH



Lead Acid battery:
12V 100AH
Power: 1200W
Standard Voltage: 12V
Capacity: 100AH



Lead Acid battery:
12V 150AH
Power: 1800W
Standard Voltage: 12V
Capacity: 150AH



Lead Acid battery:
12V 200AH
Power: 2400W
Standard Voltage: 12V
Capacity: 200AH



Lead Acid battery:
12V 250AH
Power: 3000W
Standard Voltage: 12V
Capacity: 250AH



09192606606

Solar Genset

SMART SOLAR GENSET
-QQ150-

12V12AH Capacity	150W AC output
220V/110V ± 15% AC Output Voltage	16V 30W Solar Panel Charging

SMART SOLAR GENSET
-QQ300-

184Wh / 230Wh Capacity	300W AC output
220V/110V ± 10% AC Output Voltage	15V-20V 50W Solar Panel Charging

SMART SOLAR GENSET
-QQ500-
307Wh 384Wh 460Wh

307Wh 384Wh 460Wh Capacity	500W Max AC output
220V/110V ± 5% AC Output Voltage	15V-20V 90W Solar Panel Charging

SMART SOLAR GENSET
-QQ600-


540Wh Capacity	600W (1200W MAX) AC output
220V/110V ± 5% AC Output Voltage	150W Solar Panel Charging

SMART SOLAR GENSET

888Wh Capacity	1000W AC output
220V/110V ± 15% AC Output Voltage	14V ~ 40V-150 ~ 200W(max) Solar Panel Charging

SMART SOLAR GENSET
-QQ1000B-

12V100AH Capacity	1000W AC output
220V/110V ± 10% AC Output Voltage	15V-40V 500W Max Solar Panel Charging



QUANTUMQUATRO
The sustainable choice.



09192606606

Solar Submersible Water Pump

ម៉ូទ័រទម្លាក់អណ្តូង
ផលិតផលអាល្លឺម៉ង់



ម៉ូដែល 4TPC13-65-96-1500

ទំហំ	150mm
កម្លាំងសេស	2HP
ភ្លើង	DC96-185V
កម្ពស់ទឹក	40m
ចំនួនទឹក	13m ³ /h

FlieBen ជាម៉ូទ័រជម្រើសស្តង់ដាអន្តរជាតិ

FlieBen
—nur pumpen—

ម៉ូទ័រទម្លាក់អណ្តូង
ផលិតផលអាល្លឺម៉ង់




ម៉ូដែល: FLIEBEN 3-17/456F

ទំហំ:	150mm
កម្លាំងសេស:	3HP
ភ្លើង:	380V
កម្ពស់ទឹក	45m
ចំនួនទឹក:	25m ³ /h

FlieBen ជាម៉ូទ័រជម្រើសស្តង់ដាអន្តរជាតិ

www.quantumquatro.com

info@quantumquatro.com



QUANTUMQUATRO
The sustainable choice.



09192606606

Solar Submersible Water Pump

 **FlieBen**
— nur pumpen —

ម៉ូទ័រទឹកអណ្តូង

ផលិតផលអាល្លឺម៉ង់



ម៉ូដែល:	FLIEBEN 5.5-30/4S6F
ទំហំ:	150mm
កម្លាំងសេស:	5.5HP
ភ្លើង:	380V
កម្ពស់ទឹក:	46m
ចំនួនទឹក:	44m ³ /h

 **FlieBen** ជាម៉ូទ័រជម្រើសស្តង់ដារអន្តរជាតិ

 **FlieBen**
— nur pumpen —

ម៉ូទ័រទឹកអណ្តូង

ផលិតផលអាល្លឺម៉ង់




ម៉ូដែល:	FLIEBEN 7.5-46/3S6F
ទំហំ:	150mm
កម្លាំងសេស:	7.5HP
ភ្លើង:	380V
កម្ពស់ទឹក:	40m
ចំនួនទឹក:	68m ³ /h

 **FlieBen** ជាម៉ូទ័រជម្រើសស្តង់ដារអន្តរជាតិ

www.quantumquatro.com

info@quantumquatro.com



QUANTUMQUATRO
The sustainable choice.



09192606606

Solar Submersible Water Pump

FlieBen
nur pumpen

ម៉ូទ័រទម្លាក់អណ្តូង

ផលិតផលអាល្លឺម៉ង់



ម៉ូដែល:	FLIEBEN10-60/4S6
ទំហំ:	150mm
កម្លាំងសេស:	10HP
ភ្លើង:	380V
កម្ពស់ទឹក:	56m
ចំនួនទឹក:	74m ³ /h

FlieBen ជាម៉ូទ័រជម្រើសស្តង់ដារអន្តរជាតិ

FlieBen
nur pumpen

ម៉ូទ័រទម្លាក់អណ្តូង

ផលិតផលអាល្លឺម៉ង់




ម៉ូដែល:	FLIEBEN15-60/6S6
ទំហំ:	150mm
កម្លាំងសេស:	15HP
ភ្លើង:	380V
កម្ពស់ទឹក:	84m
ចំនួនទឹក:	74m ³ /h

FlieBen ជាម៉ូទ័រជម្រើសស្តង់ដារអន្តរជាតិ

www.quantumquatro.com

info@quantumquatro.com



QUANTUMQUATRO
The sustainable choice.



09192606606

Solar Submersible Water Pump

β Fließen
—nur pumpen—

ម៉ូទ័រទឹកក្នុងស្រទាប់
ផលិតផលអាល្លឺម៉ង់



ម៉ូដែល:	FLIEBEN20-60/8S6
ទំហំ:	150mm
កម្លាំងសេស:	20HP
ភ្លើង:	380V
កម្ពស់ទឹក:	112m
ចំនួនទឹក:	74m ³ /h

β Fließen —nur pumpen— ជាម៉ូទ័រទឹកក្នុងស្រទាប់អាល្លឺម៉ង់

β Fließen
—nur pumpen—

ម៉ូទ័រទឹកក្នុងស្រទាប់
ផលិតផលអាល្លឺម៉ង់



ម៉ូដែល:	FLIEBEN25-60/9S6
ទំហំ:	150mm
កម្លាំងសេស:	25HP
ភ្លើង:	380V
កម្ពស់ទឹក:	126m
ចំនួនទឹក:	74m ³ /h

β Fließen —nur pumpen— ជាម៉ូទ័រទឹកក្នុងស្រទាប់អាល្លឺម៉ង់

www.quantumquatro.com

info@quantumquatro.com